## OWATROL TRANSYL SPRAY CAN - TR001AHCS

Date: 12/08/2016 Page 1/10

Revision: N°1 (28/07/2016)

# **SAFETY DATA SHEET**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: OWATROL TRANSYL SPRAY CAN

Product code: TR001AHCS.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Release oil - Lubricant

## 1.3. Details of the supplier of the safety data sheet

Registered company name: DURIEU S.A..

Address: Z.I. "La Marinière" 2 bis, rue Charles de Gaulle.91070.BONDOUFLE.FRANCE.

Telephone: +33(0)1.60.86.48.70. Fax: +33(0)1.60.86.84.84.

info@durieu.com www.durieu.com

## 1.4. Emergency telephone number: + 33 (0)1.45.42.59.59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

#### 2.2. Label elements

Mixture for aerosol application.

## HCS compliant.

Hazard pictograms:



GHS02

Signal Word:

**DANGER** 

Hazard statements:

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Precautionary statements - Storage:

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 122°F.

# 2.3. Other hazards

No data available.

# OWATROL TRANSYL SPRAY CAN - TR001AHCS

Date: 12/08/2016 Page 2/10

Revision: N°1 (28/07/2016)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2. Mixtures

**Composition:** 

Identification	HCS	Nota	%
INDEX: 649-466-00-2			25 <= x % < 50
CAS: 64742-53-6			
EC: 265-156-6			
DISTILLATES (PETROLEUM),			
HYDROTREATED LIGHT NAPHTHENIC			
INDEX: PCP186	GHS08		25 <= x % < 50
EC: 918-481-9	Dgr		
REACH: 01-2119457273-39	Flam. Liq. 4, H227		
	Asp. Tox. 1, H304		
HYDROCARBONS, C10-C13, N-ALKANES,			
ISOALKANES, CYCLICS, <2% AROMATICS			
INDEX: 300	GHS08		10 <= x % < 25
EC: 925-653-7	Dgr		
REACH: 01-2119458869-15	Flam. Liq. 4, H227		
	Asp. Tox. 1, H304		
HYDROCARBONS, C11-C14, N-ALKANES,			
ISOALKANES, CYCLICS, AROMATICS			
(2-25%)	lava.		2.7
INDEX: 010	GHS08		$2.5 \ll x \% < 10$
CAS: 25265-78-5	Dgr		
EC: 246-772-4	Asp. Tox. 1, H304		
TETRAPROPYLENEBENZENE			
INDEX: 298	GHS07, GHS08		2.5 <= x % < 10
EC: 918-811-1	Dgr		
REACH: 01-2119463583-34	Flam. Liq. 4, H227		
	Asp. Tox. 1, H304		
HYDROCARBONS, C10, AROMATICS, <1%	Acute Tox. 5, H313		
NAPHTALENE	Acute Tox. 5, H333		
	STOT SE 3, H336		
INDEX: 165	GHS03, GHS04	[1]	2.5 <= x % < 10
CAS: 10024-97-2	Dgr		
EC: 233-032-0	Ox. Gas 1, H270		
OXYDE DE DIAZOTE			

# Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

## In the event of swallowing:

Seek medical attention, showing the label.

Do not induce vomiting

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## OWATROL TRANSYL SPRAY CAN - TR001AHCS

Date: 12/08/2016 Page 3/10

Revision: N°1 (28/07/2016)

## **SECTION 5: FIREFIGHTING MEASURES**

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

#### 5.1. Extinguishing media

In the event of fire, use specifically suitable extinguishing agents. Never use water.

Keep packages near the fire cool, to prevent pressurised containers from bursting.

#### Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

#### Unsuitable methods of extinction

Direct water jet.

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

# 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Remove contaminated clothing and protective equipment before entering eating areas.

# Fire prevention:

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

## OWATROL TRANSYL SPRAY CAN - TR001AHCS

Date: 12/08/2016 Page 4/10

Revision: N°1 (28/07/2016)

Do not spray on a naked flame or any incandescent material.

Do not pierce or burn, even after use.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

# Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Never pour water into this mixture.

Do not breathe in aerosols.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

Never open the packages under pressure.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

## **Packaging**

Always keep in packaging made of an identical material to the original.

#### 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS TWA: STEL: Ceiling: Definition: Criteria: 10024-97-2 50 ppm - - - - -

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

CAS VME: VME: Excess Notes 10024-97-2 100 ml/m3 180 mg/m3 2(II) DFG

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria: 10024-97-2 100 ppm - - - - - -

## 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

## - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Version: N°1 (29/07/2016)

DURIEU S.A.

## OWATROL TRANSYL SPRAY CAN - TR001AHCS

Date: 12/08/2016 Page 5/10

Revision: N°1 (28/07/2016)

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVA (Polyvinyl alcohol)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374 Permeability time: >480 min for a thickness >0.45 mm CEN recommendations: EN 420 and EN 374/3

#### - Body protection

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## - Respiratory protection

Type of FFP mask:

Wear a disposable half-mask aerosol filter in accordance with standard EN149.

Category:

- FFP2

Type of mask with combined filters:

Wear a half mask in accordance with standard EN140.

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387:

- NOP3 (Blue + white)
- A2 (Brown)
- B2 (Grey)

Particle filter according to standard EN143:

- P2 (White)

CEN recommendations: EN 136, EN 140, EN 405 for masks and EN 143, EN 149 for filters.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

#### **General information:**

Physical state: Fluid liquid.

Spray.

Important health, safety and environmental information

pH: Not stated.

Neutral.
Not specified.

Boiling point/boiling range : Not specified. Vapour pressure  $(50^{\circ}\text{C})$  : Not relevant.

Vapour density: >1
Density: <1
Water solubility: Insoluble.

Viscosity:  $v < 7 \text{ mm}2/\text{s} (40^{\circ}\text{C})$ 

Method for determining the viscosity:

ISO 3104 (Petroleum products - Transparent and opaque liquids -

Determination of kinematic viscosity and calculation of dynamic viscosity).

Melting point/melting range:

Self-ignition temperature:

Decomposition point/decomposition range:

Not specified.

Not specified.

Not specified.

45%

Chemical combustion heat : Not specified.

Inflammation time : Not specified.

Deflagration density : Not specified.

Inflammation distance : Not specified.

Flame height : Not specified.

Version: N°1 (29/07/2016)

DURIEU S.A.

## OWATROL TRANSYL SPRAY CAN - TR001AHCS

Date: 12/08/2016 Page 6/10

Revision: N°1 (28/07/2016)

Flame duration: Not specified.

9.2. Other information

VOC (g/l): 382

## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- heating
- heat
- humidity

Protect from moisture. Reaction with water can cause an exothermic reaction.

## 10.5. Incompatible materials

Keep away from:

- water
- oxidising agents

#### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

# Acute toxicity:

HYDROCARBONS, C10, AROMATICS, <1% NAPHTALENE

Oral route : LD50 > 5000 mg/kg

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

 $Dermal\ route: \\ LD50 > 2000\ mg/kg$ 

Species : Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (n/a): LC50 = 4.688 mg/l

Species: Rat

OECD Guideline 403 (Acute Inhalation Toxicity)

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Oral route : LD50 > 5000 mg/kg

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

Dermal route: LD50 > 5000 mg/kg

Species : Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (n/a): LC50 = 4.951 mg/l

Version: N°1 (29/07/2016)

DURIEU S.A.

## OWATROL TRANSYL SPRAY CAN - TR001AHCS

Species: Rat

OECD Guideline 403 (Acute Inhalation Toxicity)

Date: 12/08/2016 Page 7/10

Revision: N°1 (28/07/2016)

Germ cell mutagenicity:

HYDROCARBONS, C10, AROMATICS, <1% NAPHTALENE

No mutagenic effect.

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

No mutagenic effect.

Carcinogenicity:

HYDROCARBONS, C10, AROMATICS, <1% NAPHTALENE

Carcinogenicity Test: Negative.

No carcinogenic effect.

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Carcinogenicity Test: Negative.

No carcinogenic effect.

Reproductive toxicant:

HYDROCARBONS, C10, AROMATICS, <1% NAPHTALENE

No toxic effect for reproduction

OECD Guideline 414 (Prenatal Developmental Toxicity Study)

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

No toxic effect for reproduction

OECD Guideline 414 (Prenatal Developmental Toxicity Study)

11.1.2. Mixture

#### SECTION 12: ECOLOGICAL INFORMATION

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

Do not leave this product, not diluted or in great quantity, penetrate the ground water, waters or the drains.

12.1.1. Substances

HYDROCARBONS, C10, AROMATICS, <1% NAPHTALENE

Fish toxicity: Species: Perca fluviatilis

Crustacean toxicity :  $EC50 \le 10 \text{ mg/l}$ 

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 = 11 mg/l

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Fish toxicity: LC50 = 1000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 = 1000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 = 1000 mg/l

Species: Pseudokirchnerella subcapitata

Version: N°1 (29/07/2016)

DURIEU S.A.

## OWATROL TRANSYL SPRAY CAN - TR001AHCS

Date: 12/08/2016 Page 8/10

Revision: N°1 (28/07/2016)

Duration of exposure: 72 h

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

#### 12.2.1. Substances

HYDROCARBONS, C10, AROMATICS, <1% NAPHTALENE

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Biodegradability: Rapidly degradable.

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

Contains volatile products that will disperse in air.

## 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

The appropriate waste management of the mixture and/or its container must be determined in accordance with local regulations.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

14.1. UN number

\_

14.2. UN proper shipping name

14.3. Transport hazard class(es)

-

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

## OWATROL TRANSYL SPRAY CAN - TR001AHCS

Date: 12/08/2016 Page 9/10

Revision: N°1 (28/07/2016)

#### **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The following regulations have been used:

- OSHA Hazard Communication Standard 29 CFR 1910.1200

- Container information:

No data available.

- Particular provisions :

Contains [x]% mass percentage of inflammable components. [x] = 43.7 %

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704)

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



- Clean Water Act : Toxic Pollutants (CWA 307A)

Unlisted.

- Clean Water Act: Hazardous Substances (CWA 311)

Unlisted.

- Clean Water Act : Hazardous Substances (CWA 304b)

Unlisted.

- Clean Water Act: Priority Pollutants (CWA Priority)

Unlisted.

- Clean Air Act : Hazardous Air Pollutants (CAA 112(b) HAP (188))

Unlisted.

- Clean Air Act : Organic Hazardous Air Pollutants National Emission Standards (CAA 112(b) HON (387))

Unlisted.

- Clean Air Act: Protection of Stratospheric Ozone (CAA 602)

Unlisted.

- SARA 110

Unlisted.

- SARA 302/304

Unlisted.

- SARA 313

Unlisted.

- California proposition 65: Chemicals known to the state to cause cancer or reproductive toxicity

Unlisted.

- Massachusetts : Right to Know

Unlisted.

- New Jersey : Right to Know

Unlisted.

 $\hbox{\bf - Pennsylvania: Hazardous Substance}$ 

Unlisted.

- Rhode Island: Hazardous substance list

Unlisted.

- TSCA (Toxic Substances Control Act) - USA

CAS Name

64742-53-6 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC

25265-78-5 TETRAPROPYLENEBENZENE

# 15.2. Chemical safety assessment

No data available.

Version: N°1 (29/07/2016)

DURIEU S.A.

## OWATROL TRANSYL SPRAY CAN - TR001AHCS

Date: 12/08/2016 Page 10/10

Revision: N°1 (28/07/2016)

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3:

H227 Combustible liquid. H270

May cause or intensify fire; oxidiser.

H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways.

May be harmful in contact with skin. H313

May be harmful in contact with skin or if inhaled. H313 + H333

H333 May be harmful if inhaled.

H336 May cause drowsiness or dizziness.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

GHS02: Flame

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. HCS: Hazard Communication standard (OSHA).